

TIMBER GROVE II COLLECTION

TIMBER GROVE II IS A COLLECTION OF HIGH-PERFORMANCE LVT MANUFACTURED TO MEET THE NEEDS OF A VARIETY OF END-USE SPACES.

Offered in 12 mil, 20 mil, 30 mil, SPC, and 20 mil 5 mm, these styles provide more choices and product solutions to best meet demands of a space.

| TIMBER GROVE II | 12 MIL | 20 MIL | 30 MIL | SPC* | 20 MIL 5MM |
|-----------------------|--|---|---|--|--|
| STYLE NUMBER | 1420V | 1421V | 1438V | 1599V | 1559V |
| SIZE | 5.96 in W X 48 in L | 5.96 in W X 48 in L | 5.96 in W X 48 in L | 7 in W X 48 in L | 5.96 in W X 48 in L |
| THICKNESS | 2.5 mm (0.098 in) | 2.5 mm (0.098 in) | 3.0 mm (0.118 in) | 4 mm (0.157 in) | 5 mm (0.197 in) |
| CONSTRUCTION | LVT | LVT | LVT | Multi-layer w/ Micro-bevel | LVT |
| SCRATCH RESISTANCE | ExoGuard+ | ExoGuard+ | ExoGuard+ | ExoGuard+ | ExoGuard+ |
| RECOMMENDED USE | Light Commercial w/ moderate static and rolling loads: Multi-family Hospitality Senior Living Student Housing Hospitality | Moderate to Heavy Commercial Corporate Retail Healthcare Education Corridors | Heavy Commercial | Heavy Commercial Corporate Retail Healthcare Education Multi-family Senior Living Corridors | Heavy Commercial Corporate Retail Healthcare Education Corridors Hallways Entryways |
| WARRANTY | 7 Year Commercial Limited | 15 Year Commercial Limited / Underbed Available | 15 Year Commercial Limited / Underbed Available | SPC with Indentions / 15 Year Commercial Limited | 15 Year Commercial Limited / Underbed Available |

^{*}SPC not approved for Herringbone installation method



TIMBER GROVE II in topiary

TIMBER GROVE II is constructed with **ExoGuard+**, an *enhanced topcoat* with increased hardness, offering *industry-leading scratch and stain resistance*, improving ease of maintenance and making it *an ideal solution for any space*.



TIMBER GROVE II in hemlock / shown with MARK MAKING in cascade




MADE IN THE USA

AVAILABLE TO SHIP WITHIN 10 BUSINESS DAYS












TIMBER GROVE II in sprout, mandarin, juniper and hemlock



TIMBER GROVE II in juniper, caribe, indigo and merigold








 ${\sf TIMBER} \,\, {\sf GROVE} \,\, {\sf II} \,\, {\sf in} \, {\sf sprout} \, {\sf and} \, {\sf turquoise}$



COLORWAYS | COLORS* | 1421V / 1559V / 1438V / 1599V *these colorways are not available in 12 mil (1420V)





COLOR VARIATIONS









Shade and texture can vary slightly or significantly from piece to piece within a color. V1 shade variation has little or no change from piece to piece, where a V4 will have a large variety of color and/or texture changes. Prior to any installation, a range of tiles should be approved by the customer on V3 and V4 colors. Timber Grove II features V2. V3 and V4 variations.

PRODUCT SPECIFICATIONS

TIMBER GROVE II

12 MIL

style / I420V product size / 5.96"x 48"

construction / luxury vinyl tile overall thickness / .098" (2.5 mm) installation / glue down

20 MIL

style / I421V product size / 5.96"x 48"

construction / luxury vinyl tile overall thickness / .098" (2.5 mm) installation / glue down

30 MIL

style / I438V product size / 5.96"x 48"

construction / luxury vinyl tile overall thickness / .118" (3.0 mm) installation / glue down

5 MM (20 MIL)

style / I559V product size / 5.96"x 48"

construction / luxury vinyl tile overall thickness / .197" (5.0 mm) installation / glue down

SPC*

style / I599V product size / 7"x 48"

construction / multilayer SPC with micro-bevel overall thickness / .157" (4.0 mm) installation / glue down

INSTALLATION METHODS

STAGGER







*SPC not approved for Herringbone installation method